A
Agnew J, 37(4S)
Ainsworth BE, 46
Albright CL, 225
Alcaraz JE, 28
Altarac M, 96(3S)
Amoroso PJ, 1(3S), 41(3S), 85(3S), 103(3S), 138(3S), 153(3S), 161(3S), 171(3S)
Amundson GM, 219
Andersen MR, 199
Andersen RE, 46
Anderson LM, 35(1S), 44(1S)
Asch SM, 242
Audrain J, 189
Austin D, 11
Ayers M, 268

B
Baker SP, 8(3S), 116(3S)
Barker W, 176
Barker WH, 102
Barton PL, 105
Bastani R, 62
Beahler CC, 6(4S)
Bell NS, 85(3S), 138(3S), 161(3S), 171(3S)
Bellas PA, 242
Benotsch E, 325
Bensley LS, 151
Bernier RR, 97(1S)
Bigelow C, 103(3S), 153(3S)
Bisgard KM, 140
Block G, 284
Blumenthal DS, 102
Booth-Butterfield S, 271
Bordley WC, 343
Bortz W II, 276
Boudreau CF, 126(3S)
Bowen WH, 159
Bowman JA, 253
Brackbill R, 312
Branche CM, 27(3S)
Braunschweig C, 332
Brekke ML, 219
Briss PA, 35(1S), 44(1S), 75(1S), 97(1S)
Brodine S, 54(3S)
Brown DR, 235
Brownson R, 18(1S)
Brownson RC, 235
Brundage JF, 71(3S)
Bussman J, 11

C
Calfas KJ, 28, 289
Calonge N, 215
Cangialose CB, 262
Canham-Chervak ML, 71(3S)
Caparosa S, 28
Carande-Kulis VG, 35(1S), 44(1S), 75(1S), 97(1S)
Carter-Pokras O, 46
Casteel C, 99(4S)
Castorina JS, 123
Castro C, 276
Catz S, 325
Celebucki C, 339
Chambers B, 126(3S)
Chelminski A, 343
Choi Y-A, 249
Christy D, 83
Ciske S, 123
Clark KL, 111(3S)
Clark NM, 12(1S)
Claunch DT, 70(4S)
Cockburn JD, 253
Cohen S, 225
Collins JL, 18
Cox KA, 111(3S)
Crespo CJ, 46
Creviston T, 332
Crosby R, 312
Curry SJ, 54

D
Dannenberg AL, 41(3S)
Davis MV, 351
Davis RM, 5(1S)
DeFraites RF, 64(3S)
DeRoo LA, 51(4S)
Desai SN, 140
DeVellis B, 249
DeVellis RF, 69
Dibling K, 140
Dini EF, 132
Duhl L, 10(1S)
Dunn JE, 38

E
Eason P, 176
Ellis BE, 126(3S)
Erickson P, 77
Etzioni R, 199
Evans CA Jr, 18(1S)

F
Ferrini R, 173
Fielding J, 18(1S), 35(1S), 75(1S)
Fingerhut LA, 27(3S)
Fleming D, 27(1S)
Fleming DW, 11
Fleming PL, 208
Foege W, 1(1S)
Ford L, 163
Frame PS, 159
Frank AL, 33(4S)
Fullilove M, 18(1S), 27(1S)
Fulton JE, 18

G
Galuska DA, 18
Gardner JW, 96(3S), 144(3S)
Garrett C, 215
Garrett JM, 69
Gebbie KM, 18(1S)
Gehrman CA, 28
Gibbons L, 225
Gillespie C, 284
Glanz K, 104
Goodno L, 90(4S)
Goodwin MM, 186
Gordon PM, 83
Green LW, 7(1S)
Greenland P, 38
Grothaus LC, 54
Groves W, 63(4S)
Guerra F, 18(1S)
Guidotti TL, 163, 178

H
Halabi S, 1
Halverson PK, 189
Handsfield HH, 183
Hansen BC, 14(3S)
Harris JR, 35(1S), 75(1S)
Heath GW, 83
Hemenway D, 138(3S)
Hennessy MH, 44(1S)
Hepburn MJ, 300
Heumann M, 11
Hill L, 146
Hilner JE, 38
Hinman AR, 18(1S), 35(1S), 97(1S)
Hite M, 126(3S)
Hoffman IF, 115
Holmes A, 83
Hopkins DP, 35(1S), 44(1S)
Hornung RL, 69
Housemann RA, 235
Hu DJ, 208
Humiston S, 176
Humiston SG, 318

I
Imai K, 225
Irwin KL, 109
Isham GJ, 27(1S)

J
Jack L Jr, 11
Jackson-Thompson J, 235
Jacobs DR Jr, 38
Jenson C, 284
Jernick J, 225
Johnson JM, 300
Johnson MF, 28
Jones BH, 1(3S), 14(3S), 71(3S), 85(3S), 96(3S), 138(3S), 144(3S)

K
Kalichman SC, 325
Kaluzny AD, 189
Kann L, 18
Kaplan RM, 77

© 2000 American Journal of Preventive Medicine • Published by Elsevier Science Inc. PII S0749-3797(00)00158-6

Kassler WJ, 109
Kaufman, KR, 54(3S)
Keep LW, 64(3S)
Keifer MC, 80(4S)
Kerr DL, 5(1S)
King AC, 235, 276
Kinney AY, 249
Knapik JJ, 96(3S), 144(3S)
Kobetz E, 249
Koerning LJ, 186
Kohatsu ND, 3(1S)
Kohler SA, 262
Kolasa MS, 140, 318
Kottke TE, 219
Kowal D, 186
Kozlowski LT, 339
Kraus R, 343
Krauss MR, 111(3S)
Kreuter MW, 7(1S)
Krieger JW, 123
Kuniyuki A, 199

L
LaPorte RE, 33(3S)
Lando H, 54
Lane DS, 87
Lauder TD, 116(3S)
Lawrence RS, 18(1S), 27(1S)
Leff M, 215
Leichliter JS, 312
Lennon PA, 69
Leone PA, 115
Lerman C, 189
Li Y, 111(3S)
Lincoln AE, 8(3S), 116(3S), 37(4S)
Linkins RW, 132
Lipkus IM, 1
Lipscomb HJ, 27(4S)
Liu K, 38
Longfield JN, 300
Lorentz J, 146
Lowry R, 18

M
Maciosek MV, 75(1S)
Magnan S, 219
Mahan CS, 27(1S)
Malone BR, 235
Mangione TW, 138(3S)
Marantz P, 102
Marcus B, 225
Margolis PA, 343
Martin LM, 215
Maxwell AE, 62
Mays GP, 189
McBride CM, 54
McGinnis JM, 1(1S)
McPherson JT, 115
McQueen DV, 35(1S)
Meischke H, 199
Melcer T, 305
Melton RJ, 3(1S)
Messonnier ML, 75(1S)
Metler RP, 208
Meyerowitz C, 159
Miller J, 325
Miller S, 225
Miller WC, 115
Millikan RC, 249
Mitchell CS, 37(4S)
Moore J, 11
Mosbaek C, 11
Mullen PD, 35(1S)
Mundt KA, 103(3S)

N
Ndiaye SM, 97(1S)
Nee MA, 71(3S)
Nelson DE, 215
Newell SA, 253
Nichols JF, 28
Nicola T, 332
Novick L, 18(1S)

O
Ogaitis S, 37(4S)
Omenn GS, 12(1S)
Owen-O'Dowd J, 115

P
Page D, 176
Pappaioanou M, 18(1S), 27(1S), 35(1S), 44(1S), 75(1S)
Parkinson MD, 99
Patrick K, 97, 107
Peake J, 4(3S)
Peek-Asa C, 99(4S)
Perrotta DM, 27(3S), 71(3S)
Petersen R, 186
Pierce JP, 305
Pirie PL, 54
Popovich RM, 96(3S) 144(3S)
Potter R, 96(3S), 144(3S)
Powell KE, 27(3S)
Powers TE, 111(3S)
Prevots DR, 140
Privette A, 115

R
Ramsey SD, 15(1S)
Rask KJ, 262
Rautiainen RH, 51(4S)
Reed DB, 70(4S)
Reger B, 271
Rendleman NJ, 268
Reynolds SJ, 63(4S)
Riley B, 332
Rimer BK, 1, 189
Rimmer JH, 332
Rivara FP, 1(4S), 23(4S)
Rock CL, 354
Rodewald LE, 318, 97(1S)
Rogers B, 90(4S)
Rompa D, 325
Rosbrook B, 305
Rosenbaum EH, 284
Rosenberg ML, 6(3S)
Rosenstock L, 4(4S)
Runyan CW, 116(4S)
Rupp J, 284
Rust CT, 262

S
Sallis JF, 28, 225, 235
Saltzman LE, 186
Samimi B, 146
Sandler RS, 249
Sarkin JA, 28
Sawai R, 159
Schillinger JA, 11
Schmitz JL, 115
Schneider GA, 153(3S)
Schulman J, 126(3S)
Scutchfield FD, 97, 99, 107, 181
Segui-Gomez M, 11(4S)
Seidman CS, 97, 107
Senier L, 161(3S)
Shaffer R, 54(3S)
Shefer AM, 97(1S)
Shone LP, 318
Sigafoos J, 132
Silverman K, 332
Simmons KW, 151
Simons-Morton DG, 225
Sleet D, 1(3S)
Smit E, 46
Smith GS, 8(3S) 41(3S), 85(3S), 116(3S), 161(3S), 171(3S), 37(4S)
Smith-Akin CK, 18(1S)
Snedecor MR, 126(3S)
Solberg LI, 219
Songer TJ, 33(3S)
Sosin DM, 44(1S)
Spitz AM, 186
Stine MM, 339
Strecher VJ, 69
Strigo TS, 1
Strikas RA, 97(1S)
Suarez T, 325
Sulsky SI, 103(3S)
Sun J, 305
Sundheim JJ, 6(4S)
Szilagyi PG, 318, 343

T
Tao G, 109
Task Force on Community Preventive Services, The, 18(1S), 27(1S), 35(1S), 44(1S), 75(1S), 92(1S), 97(1S)
Teutsch SM , 35(1S), 44(1S), 75(1S)
Thacker S, 4(4S)
Thompson DC, 1(4S), 23(4S)
Thompson RS, 35(1S)
Thompson S, 28
Trapp NI, 6(4S)
Truman BI, 18(1S), 35(1S), 44(1S), 75(1S)

U
Urban N, 199

V
Van Eenwyk J, 151
Van Osdal J, 11
Vann JJ, 343
Vernick JS, 37(4S)
Vogel-Taylor M, 18(1S)

W
Walls ML, 123
Ward J, 300
Warda US, 62
Weaver MR, 123
Wechsler H, 18
Weinberg PD, 69

Wells KJ, 262
Wheeler M, 163
Wilcox S, 276
Wilkes M, 242
Williams SM, 97(1S)
Woodlief G, 115
Woodward TE, 170
Woolf SH, 35(1S)
Wootan MG, 271
Wortley PM, 208
Wright-De Agüero L, 35(1S), 44(1S)
Writer JV, 64(3S)

Y

Yasui Y, 199
Yore MM, 85(3S)
Yost B, 339
Yusuf HR, 97(1S)

Z

Zabinski MF, 284
Zakocs RC, 116(4S)
Zaza S, 18(1S), 27(1S), 35(1S), 44(1S), 75(1S)
Zhu S-H, 305
Zwerling C, 116(4S)

A

Accidents
  agricultural, 51(4S)
  cerebrovascular, 332
  construction industry, 11(4S)
  falls, construction industry, 11(4S)
  information retrieval, 6(4S)
  interventions, safety, 4(4S)
  United States Army case–control study, discharge for, 103(3S)
  prevention
Adolescence, physical activity intervention during, 28
Adult(s)
  HIV-risk behaviors, 151
  middle-aged and older, dietary changes, physical activity-related, 276
Advertising
  against light cigarettes, in Massachusetts, in, 339
  paid, nutrition-related, 271
African-American, health promotion intervention, 332
Age role, disabling occupational knee injury Army discharges, 103(3S)
Agency for Health Care Policy and Research, 12(1S)
Agriculture
  accidents, 63(4S)
  children's nonfatal farm injuries, 70(4S)
  safety interventions, 51(4S)
AIDS, adult risk behaviors, 151
Airborne soldiers, re-injury risk among, 153(3S)
Alcohol use
  active duty Army personnel, among, 85(3S)
  cessation, during early pregnancy, 54
Alcoholism, childhood abuse link, 151
American College of Sports Medicine, 83
Armed Forces Epidemiological Board, 170, 14(3S), 71(3S)
Army, United States, injuries
  female trainees, rates among, 138(3S)
  hospitalization
  motor vehicle, active duty personnel, for, 85(3S)
  overuse, basic training, rest effect on, 144(3S)
  re-injury risk among airborne soldiers, 153(3S)
Asians, United States, AIDS among, 208
Association of American Medical Colleges, 102
Athletic injuries, 96(3S), 116(3S)s, 144(3S)
Automobile driving, risk-taking behavior, 85(3S)

B

Bacterial vaccines, 123
Barriers to mammography screening, 1, 11
Behavior(s)
  changes, advertising results in, Massachusetts , 339
  eating, 271
  health, middle-aged and older adults', 276
  HIV-risk, adult, 151
  motor vehicle injury, for, active duty Army personnel self-reported, 85(3S)
Behavioral Risk Factor Surveillance System (BRFSS), 83, 235
Bioterrorism, 178
Blood-borne pathogens, 146 173
Bone remodeling, 144(3S)
Breast cancer
  interventions for family members, 189
  Korean and Filipino immigrants, in, 62
Burden of diseases, 27(1S)

C

Caffeine use cessation during early pregnancy, 54
Canadian Task force, periodic health examinations, 12(1S)
CARDIA study, 38
Cardiovascular
  disease, nonpharmacologic treatment, 253
  risk factors, 38
Carpal tunnel syndrome, 37(4S)
Casualties, non-battle injuries, 64(3S)
Cause-of-injury coding in United States military and civilian hospitals, 83, 161(3S), 171(3S)
Cerebrovascular accidents, 332
Cessation
  alcohol use during early pregnancy, 54
  caffeine use, 54
  smoking, 300, 305
Child survival task force, 92(1S)
Childhood
  abuse, sexual and physical, 151
  immunization, 132, 318
  nonfatal farm injuries, 70(4S)
  vaccination improvements, 97(1S)
Chlamydia, 115, 183
Chronic conditions, self-reported in managed care population, 215
Cigarette(s) light, advertising against in Massachusetts, 339
  smoking among athletes, 96(3S)
College students, physical activity, food choice and weight management by, 18
Colorectal cancer
  Korean and Filipino immigrants, in, 62
  patients, genetic testing among, 249
Community(ies) services
  health, 92(1S), 97(1S) preventive, 1(1S), 3(1S), 15(1S), 27(1S), 44(1S), 75(1S)
  rural, physical activity promotion, 235
  -wide health education, 271
Computer technology, interactive for skin cancer prevention for children, 69
Computer-generated childhood immunization coverage, 132
Construction industry falls, program effectiveness, 23(4S)
Cost, analysis and, immunization registry, 262
Cost-effectiveness analysis, 15(1S), 75(1S)
Counseling
  breast cancer patients, families and, 189
  leisure activity, 225
  STD-related, 109
  smoking cessation, 305
Cumulative trauma disorders, 96(3S), 144(3S)

D

Database(s)
  bibliographic, for information retrieval, 6(4S)
  current hospital in the Armed Forces, 41(3S), 42(3S)
  injury surveillance, 8(3S)
  Total Army Injury and Health Outcomes Database, 103(3S)
Deaths, military, injury-caused, 27(3S)
Dentistry, preventive, 159
Diet changes
  community-wide, 271
  fat, fruit, vegetables and, screening, 284
  physical activity-related, 276
Disability discharges, United States Army, knee injury-caused, 103(3S)
Disabled persons, African-American stroke survivors, 332
Discharge, military, knee injury
  disabling, due to, 103(3S)
  patient, 41(3S)
  prior to military service, and, 111(3S)
Disease(s)
  burden of, 27(1S)
  cardiovascular, nonpharmacologic treatment, 253
  periodontal, 159
  prevention, nutrition and, 354
  sexually transmitted, 109, 183, 312
  vaccine-preventable, 75(1S), 92(1S), 97(1S)
Disorders, environmental origin, 80(4S)
Drinking
  Army personnel, active duty, among, 85(3S)
  HIV-risk behaviors, adult, 151
Drug-associated morbidity, mortality and, 173
Duty time, lost, physical training, hospitalization, due to, 116(3S)

E

Eating behaviors, 271
Economic evaluations

0749-3797/00/$–see front matter
© 2000 American Journal of Preventive Medicine • Published by Elsevier Science Inc.
PII S0749-3797(00)00159-8

community preventive services, 15(1S)
systematic reviews for *Guide to Community Preventive Services*, 75(1S)
Education
health, 189, 271
Internet, health care, 12(1S)
Emergency service, military, 161(3S)
Environmental
challenges, 18(1S)
poisonings, 80(4S)
Epidemiology, hospital coding systems, military and civilian, 161(3S), 171(3S)
Ethnicity, physical inactivity relation to leisure time, 46
Evidence-based medicine
construction industry falls , 23(4S)
dieters, for, 83
female Army trainees, among, 138(3S)
general practice, 12(1S), 18(1S))
health promotion, African-American stroke survivors, 332
middle-agedand older adults, 276
occupational injuries , 1(4S)
-related injuries, 96(3S)
vaccination coverage for children and adults, 92(1S), 97(1S)
Eye injuries prevention, 27(4S)

F

Falls, construction industry, program effectiveness, 23(4S)
Farm
injuries, children's, preventive nonfatal, 70(4S)
intervention(s)
safety, 51(4S)
studies, 63(4S)
tractor fatalities
literature review, 27(4S)
Fatalities
Persian Gulf War, during, 64(3S)
tractor, 63(4S)
literature review, 27(4S)
Fatigue-caused accidents, 33(4S)
Federal funding trends, prevention research for, 351
Female Army trainees, injury rates among, 138(3S)
Filipino immigrants, cancer screening for, 62
Fractures, stress, 96(3S), 144(3S)

G

Gender
differences in survival, 77
role, disabling occupational knee injury in Army discharge, 103(3S)
Genetic testing, colorectal cancer patients, among, 249
Graduate medical education, 87
Guide to Community Preventive Services (GCPS), 1(1S), 3(1S), 5(1S), 10(1S), 12(1S), 18(1S), 27(1S), 44(1S), 75(1S)
academic health centers, in, 12(1S)
data collection, systematic reviews and, 44(1S)
economic evaluations, 75(1S)
health
department perspective, 3(1S)
promotion 3(1S), 10(1S)
managed care, 5(1S)
overview and rationale, 18(1S)
science harnessing, 1(1S)
scope, 27(1S)

H

Hazards, proportional, models, 153(3S)
Health behavior, middle-aged and older adults', 276
Health care, Internet, educational medium for, 12(1S)
nutrition, assessment, 289
occupations, needlestick injury prevention, 90(4S)
patient acceptance, 305
primary, 289
reform, Oregon, 11
workers, needlestick injuries, prevention, 90(4S)
Health department clinics, physician immunization referrals to, 318
Health education
community-wide, 271
intervention, 189
literacy, HIV/AIDS persons, 325
manpower, 87
occupational, 80(4S)
personnel, attitudes, 242
planning guidelines, 159
policy, rural communities, 235
practices, public, 18(1S)
Health promotion
commentary, *Guide to Community Preventive Services*, 3(1S)
community, 10(1S)
dental caries, periodontal disease prevention, 163
intervention, African-American stroke survivors, 332
medical student attitudes toward, 242
Health Promotion and Disease Control, 1979, Surgeon General's report, 12(1S)
Hepatitis B, 140, 146, 173
Hepatitis C, 173
HIV/AIDS
adult risk behaviors, 151
intravenous drug users and, 173
persons, health literacy among, 325
prevention programs, 208
Homeless people, mandated tuberculosis screening, 268
Homicide, military, 27(3S)
Hospitalization
military injuries-caused, 41(3S) motor vehicle injury, for, active duty Army personnel among, 85(3S)

I

ICD-9-CM, hospital coding systems, military and civilian, 161(3S)
Immunization
audit, effect of, 343
childhood, 132
pneumococcal, 123
poliovirus, 140
registry costs, 262
IMPROVE project, preventive services implementation trial, 219
Inactivated vaccines, 140
Infections, chlamydial, 115
Influenza vaccine, 123
Information science, 6(4S)
Injuries
airborne military personnel, among, 153(3S)
athletic, 96(3S), 116(3S)
environmental origin, pesticides and poisonings, 80(4S)
eye, prevention, 27(4S)
fatal military, 27(3S)
hospital coding for, 161(3S), 171(3S)
hospitalizations, 41(3S), 42(3S), 85(3S)
knee, prior to military service, 111(3S)
military
motor vehicle, hospitalization among, active duty Army personnel, 85(3S)
needlestick, 90(4S)
non-battle casualties, 64(3S)
nonfatal farm, 70(4S)
occupational, prevention strategies, 1(4S)
overuse, rest effect on in Army basic training, 144(3S)
physical training, hospitalization, Army, in the, 116(3S)
rates, female Army trainees, among, 138(3S)
soft tissue, 96(3S), 144(3S)
traumatic, occupational, 8(3S)
Injury Control Research Centers, 6(4S)
Interactive computer technology, skin cancer prevention for children, 69
Internet, educational medium for health care, 12(1S)
Intervention(s)
accident prevention, 27(4S), 33(4S) administrative and behavioral for workplace violence prevention, 116(4S) crime prevention, 99(4S)
early, physical activity, for, 28
falls, construction industry, 23(4S)
farm safety, 51(4S), 63(4S)
needlestick injuries prevention in health care occupations, 90(4S)
nutrition, 289
pesticide overexposure, 80(4S)
research, 199, 18(1S)
shiftwork-related, 33(4S)
study(ies)
construction industry falls, 23(4S)
crime prevention, 99(4S)
farm safety, 51(4S), 63(4S)

K

Knee injuries, military
disabling occupational, discharges due to, 103(3S) prior to service, 111(3S)
Korean immigrants, cancer screening for, 62

L

Leisure activity
counseling, 225
dieters, among, 83
young adults, among, 28

Life expectancy, 77
Ligases, 115
Literacy, health, HIV/AIDS persons, 325
Literature reviews
children's nonfatal farm injuries, 70(4S)
farm
accidents, prevention, 63(4S)
nonfatal injuries, children's, 70(4S)
tractor fatalities, 27(4S)
mortality, 63(4S)
needlestick injuries in health care occupations, 90(4S)
nonpharmacologic treatment, cardiovascular disease, 253
occupational injuries, 1(4S)
pesticide overexposure and poisonings reduction, 80(4S)
work-related
accidents, 11(4S)
carpal tunnel syndrome, 37(4S)
injuries, 33(4S)
workplace, 99(4S)
Longitudinal studies, sexually transmitted diseases, of, 312

M

Mammography
promotion effectiveness, 199
screening
HMO's, 1
Oregon Health Plan, 11
Managed care
health, 1, 11
population, self-reported chronic conditions, 215
systems, 5(1S)
Mass media, diet and, 271
Massachusetts advertising against light cigarettes, 339
Medical
certification, practice and, 87
checkups, routine, 109
education, undergraduate, 242
Medicine
evidence-based, 12(1S), 92(1S), 97(1S), 1(4S)
military injuries
airborne reinjury risk, 153(3S)
basic training, overuse, 144(3S)
cigarette smoking and exercise-related, 96(3S)
coding, 161(3S), 171(3S)
death-causing, 27(3S)
disabilities, 33(3S)
disabling knee, discharge for, 103(3S)
female, high rates, 138(3S)
hospitalizations, 41(3S), 64(3S)
sports and physical training, 116(3S)
non-battle,
prevention, 71(3S)
risk-taking behaviors, 85(3S)
preventive, 87, 97, 99, 242, 71(3S)
Middle-aged adults and older, physical activity-related dietary changes, 276
Military
civilian hospitals and, cause-of-injury coding, 161(3S)
deaths, injury-caused, 27(3S)
injury(ies)
-caused hospitalization, 41(3S)
prevention, 71(3S)
public health and, 1(3S)
medicine
basic training, overuse injuries, 144(3S)
cigarette smoking, exercise-related injuries and, 96(3S)
coding, cause-of-injury, 161(3S), 171(3S)
deaths, injury-caused, 27(3S)
disabilities, injury-caused, 33(3S)
discharge for disabling knee injury, 103(3S)
female, high injury rates, 138(3S)
non-battle injuries, 64(3S)
personnel, physical fitness among, 138(3S), 144(3S)
readiness due to physical training hospitalization, due to, 116(3S)
reinjury risk among Army airborne, 153(3S)
risk-taking behaviors, 85(3S)
training-related injuries, 54(3S)
wounds
homicide, 27(3S), 33(3S)
suicide, 27(3S), 33(3S)
unintentional, 27(3S), 33(3S)
Minority groups
drug-associated morbidity and mortality and, 173
exercise among, 46
Morbidity, drug-associated, 173
Mortality
drug-associated, 173
literature review, 63(4S)
Motor vehicle injury, hospitalization among active duty Army personnel, 85(3S)

N

National Conference on Violence and Reproductive Health, 186
National Health and Nutrition Examination Survey, 46, 77
Needle-exchange programs, 173
Needlestick injuries
health care ocupations, in, 90(4S)
metropolitan police department, in, 146
Neoplasms,
colorectal, genetic testing for, 249
skin, 69
Nicotine
replacement therapy, 300
use cessation, 305
Non-battle injury casualties, 64(3S)
Nonfatal farm injuries, child, 70(4S)
Nonpharmacologic treatments for cardiovascular disease, 253
Nutrition
assessment, 289
college students, 18
community-wide, 271
disease prevention and, 354
health promotion for African-American stroke survivors, 332
physical activity
leisure time, in, 38
race/ethnicity and social class-related, 46
primary health care, assessment in, 289
screening for fat assessment, 284

O

Occupational accidents
construction industry, 23(4S)
farm, 51(4S)
information retrieval, 6(4S)
shiftwork, 33(4S)
Older and middle-aged adults, physical activity-related dietary changes, 276
Oregon Health Plan, 11
Overuse injuries, Army basic training, rest effect on, 144(3S)

P

Pacific Islanders, United States, AIDS among, 208
Paid advertising, nutrition-related, 271
Panel on Cost-Effectiveness in Health and Medicine, 75(1S)
Parental acceptance, reminders of childhood imunization, 132
Pathogens, blood-borne, 146, 173
Patient compliance with nonpharmacologic treatment for cardiovascular disease, 253
Pelvic examinations, 115
Periodontal disease, 159
Persian Gulf War, non-battle injuries, 64(3S)
Perspective, Health Department, on GCPS, 3(1S)
Pesticide overexposure, 80(4S)
Physical activity
advice, primary care, 225
changes, diet changes and, 276
college students, among, 18
dieters, among, 83
health promotion for African-American stroke survivors, 332
military, 138(3S), 144(3S)
promotion in rural communities, 235
young adults, among, 28
Physician(s)
practice patterns, immunization, 343
referrals, health department clinics for immunization, 318
Pneumococcal immunization, 123
Poisonings, environmental, 80(4S)
Population-based interventions, 18(1S), 92(1S)
Predisposition testing, genetic, 249
Pregnancy, tobacco-, alcohol- and caffeine-cessation during, 54
Prevention
Farm accidents, 63(4S)
Fort McMurray Demonstration Project in Social Marketing, 163
military, in the, 27(3S)
disease, nutrition and, 354
eye injury, 27(4S)
falls, construction industry, 23(4S)
heart disease, nutritionally, 284
injury, military, in the, 71(3S)
intervention, worker-related carpal tunnel syndrome, 37(4S)
skin cancer, interactive computer technology for children's, 69

workplace violence, 116(4S)
Preventive
dentistry, 159
health services, 123, 92(1S), 97(1S)
medicine, 87, 97, 99, 242
services
implementation trial, 219 community, 1(1S), 3(1S), 15(1S), 27(1S), 44(1S), 75(1S)
Primary health care
nutrition assessment in, 289
physical activity advice, 225
Program, Healthy Cities and Communities, 1(1S)
Project GRAD, 28
Project Graduate Ready for Activity Daily, 28
Proportional hazards models, 153(3S)
Public health
clinics, children's immunization, 318
medicine and, 99
military injuries and, 1(3S)
policies, 18(1S)
practice, 18(1S), 92(1S), 97(1S)
Public relations, community-wide dietary changes, for, 271

Q

Quality-adjusted life-year (QALY), 75(1S)

R

Race
physical inactivity in relation to leisure timeto, 46
role in Army discharge for disabling occupational knee injury, 103(3S)
Referrals, physician, to health department clinics, 318
Reinjury(ies) risk among military personnel, 153(3S)
Reproductive health, 186
Research, intervention, 18(1S)
Rest effect on overuse injuries from Army basic training, 144(3S)
Risk behavior
motor vehicle injury among active duty Army personnel, self-reported, 85(3S)
pregnancy, during, 54
reinjury among military personnel, 153(3S)
Roll-over protective structures, farm tractor fatality reduction, 63(4S)
Rural communities, mammography promotion by volunteers, 199

S

Safe workplace, 4(4S)
Safety belt use, 11(4S)
San Diego Police Department, occupational needlestick injuries, 146
Screening
cancer, for, Filipino immigrants, 62
chlamydia, 115, 183
health, managed care population, 215
lower dietary fat for fruit, vegetables and, for, 284
mammography, 1
tuberculosis, mandated, in homeless people, 268
Seat belt use, 11(4S)
Self-help groups, smoking cessation, 305
Self-reported chronic conditions, managed care population, 215
Senior center-based intervention, immunization-related, 123
Sexual abuse, childhood, 151
Sexually transmitted diseases
counseling, 109
longitudinal prediction, 312
risk assessment, 183
Shiftwork-related injuries, 33(4S)
Skin cancer prevention among children, 69
Smokeless tobacco, 300
Smoking
cessation knowledge, 300, 305
cigarette, 96(3S)
Soft tissue injuries, 96(3S), 144(3S)
STANAG, military hospital coding systems, 161(3S), 171(3S)
Stanford-Sunnyvale Health Improvement Project, 276
Streptococcus pneumoniae, 123
Stress fractures, 96(3S), 144(3S)
Stroke survivors group, predominantly African-American, health promotion intervention for, 332
Substance abuse, intravenous, 173
Suicide in the military, 27(3S)
Surgeon General's report, Health Promotion and Disease Prevention, 1979, 12(1S)
Systematic reviews
economic evaluations, 75(1S)
Guide to Community Preventive Services, 44(1S)
role, workplace safety, 4(4S)

T

Tailored interventions for mammography screening, 1
Task force
Canadian, periodic health examinations, 12(1S)
United States
child survival, 92(1S)
community preventive services, 3(1S), 27(1S), 97(1S)
Telephone
counseling
mammography-related, 1
physical activity, for, 28
intervention, childhood immunization, 132
surveys, diet changes, 271
Tissue(s) soft, injuries, 96(3S), 144(3S)
Tobacco
athlete use, 96(3S)
cessation
assisted, unassisted, 305
during early pregnancy, 54
Total Army Injury and Health Outcomes Database (TAIHOD), 103(3S)
Training, preventive medicine, 99
Trauma disorders, cumulative, 96(3S), 144(3S)
Traumatic occupational injury, 8(3S)
Tribute to Abram S. Benenson, MD, 107
Tuberculosis screening, mandated in homeless people (Letter), 268

U

Undergraduate medical education, 242
United States
Air Force recruit injury study, 126(3S)
Army general medical officers (GMOs), smoking cessation knowledge, 300
United States Preventive Services Task Force (USPSTF), 3(1S)
United States Public Health Service, 12(1S)
USAF, 126(3S)
USPSTF, 3(1S)

V

Vaccine-preventable diseases, 75(1S), 92(1S), 97(1S)
Violence
prevention, CPTED effectiveness, 99(4S)
reproduction and, 186
workplace, prevention, 116(4S)
Volunteers in rural communities, mammography promotion by, 199

W

Weight loss, exercise for, 83
Weight management among students, 18
Workplace literature review, 99(4S)
Work-related
accidents, literature review, 11(4S)
carpal tunnel syndrome, 37(4S)
eye injuries, 27(4S)
intervention studies, 11(4S), 33(4S)
safety, 4(4S)
violence prevention, 116(4S)
Wound(s)
airborne military personnel, among, 153(3S)
environmental origin, pesticides and poisonings, 80(4S)
female Army trainees, among, 138(3S)
hospital coding, 161(3S), 171(3S)
hospitalization for, 85(3S)
military

Y

Young adults
dietary factors in, 38
leisure activity among, 28
smoking, exercise and, 96(3S)